




20th July							
Simplify $(\sqrt{5})^2$	Simplify $\sqrt{10} \times \sqrt{7} \times \sqrt{3}$						
	Find x						
	Find y						
	Find z						
<p>Mr Jones is an estate agent on the Isle of Man.</p> <table border="1" data-bbox="440 136 572 499"> <tr> <td>Median</td> <td>£375,000</td> </tr> <tr> <td>Range</td> <td>£235,000</td> </tr> <tr> <td>Interquartile Range</td> <td>£590,000</td> </tr> </table>	Median	£375,000	Range	£235,000	Interquartile Range	£590,000	<p>He has created this table to show information about the prices of houses he has sold. Explain how you know he has made a mistake.</p>
Median	£375,000						
Range	£235,000						
Interquartile Range	£590,000						
<p>Find x</p> 							

20th July							
Simplify $(\sqrt{5})^2$	Simplify $\sqrt{10} \times \sqrt{7} \times \sqrt{3}$						
	Find x						
	Find y						
	Find z						
<p>Mr Jones is an estate agent on the Isle of Man.</p> <table border="1" data-bbox="440 1227 572 1590"> <tr> <td>Median</td> <td>£375,000</td> </tr> <tr> <td>Range</td> <td>£235,000</td> </tr> <tr> <td>Interquartile Range</td> <td>£590,000</td> </tr> </table>	Median	£375,000	Range	£235,000	Interquartile Range	£590,000	<p>He has created this table to show information about the prices of houses he has sold. Explain how you know he has made a mistake.</p>
Median	£375,000						
Range	£235,000						
Interquartile Range	£590,000						
<p>Find x</p> 