

Name:

Exam Style Questions

Simultaneous Equation (Three Unknowns)



Corbettmaths

Equipment needed: Calculator and Pen

Guidance

1. Read each question carefully before you begin answering it.
2. Check your answers seem right.
3. Always show your workings

Video Tutorial

www.corbettmaths.com/contents

Video 393



Answers and Video Solutions



1. Solve the simultaneous equations

$$x - y + 3z = 5 \quad - (1)$$

$$x + y + 6z = 12 \quad - (2)$$

$$3x - 2y + 2z = 10 \quad - (3)$$

$$(1) + (2) \rightarrow (4)$$

$$2x + 9z = 17 \quad - (4)$$

$$2 \times (2) + (3) \rightarrow (5)$$

$$2x + 2y + 12z = 24$$

$$\text{add } 3x - 2y + 2z = 10$$

$$5x + 14z = 34 \quad - (5)$$

$$5 \times (4) - 2 \times (5)$$

$$10x + 45z = 85$$

$$10x + 28z = 68$$

$$17z = 17$$

$$z = 1$$

$$x = \dots 4 \dots \quad y = \dots 2 \dots \quad z = \dots 1 \dots \quad (5)$$

sub $z=1$ into (5)

$$5x + 14 = 34$$

$$5x = 20$$

$$x = 4$$

sub $x=4$ & $z=1$ into (1)

$$4 - y + 3 = 5$$

$$7 - y = 5$$

$$y = 2$$

check in (2)

$$4 + 2 + 6 = 12 \quad \checkmark$$

2. Solve the simultaneous equations

$$2x + 3y + 5z = 21 \quad - (1)$$

$$3x + 6y + 15z = 51 \quad - (2)$$

$$5x + 4y + 10z = 37 \quad - (3)$$

$$2 \times (1) - (2) \rightarrow (4)$$

$$4x + 6y + 10z = 42$$

$$\text{sub } \frac{3x + 6y + 15z = 51}{\hline}$$

$$x - 5z = -9 \quad - (4)$$

$$2 \times (2) - 3 \times (3) \rightarrow (5)$$

$$6x + 12y + 30z = 102$$

$$\text{sub } \frac{15x + 12y + 30z = 111}{\hline}$$

$$-9x = -9 \quad - (5)$$

$$x = 1$$

$$\text{sub } x=1 \text{ into } (4)$$

$$1 - 5z = -9$$

$$-5z = -10$$

$$z = 2$$

$$x = \dots 1 \dots \quad y = \dots 3 \dots \quad z = \dots 2 \dots \quad (5)$$

$$\text{sub } x=1 \text{ \& } z=2 \text{ into } (3)$$

$$5 + 4y + 20 = 37$$

$$4y = 12$$

$$y = 3$$

check in (1)

$$2 + 9 + 10 = 21 \checkmark$$

3. Solve the simultaneous equations

$$2x + 4y - z = 15 \quad - (1)$$

$$3x + 8y + z = 44 \quad - (2)$$

$$x + 2y + 2z = 15 \quad - (3)$$

$$(1) + (2) \rightarrow (4)$$

$$5x + 12y = 59 \quad - (4)$$

$$2 \times (2) - (3) \rightarrow (5)$$

$$6x + 16y + 2z = 88$$

$$\text{sub } x + 2y + 2z = 15$$

$$\hline 5x + 14y = 73 \quad - (5)$$

$$(5) - (4) \rightarrow (6)$$

$$5x + 14y = 73$$

$$\text{sub } 5x + 12y = 59$$

$$\hline 2y = 14$$

$$y = 7$$

$$x = \dots -5 \dots \quad y = \dots 7 \dots \quad z = \dots 3 \dots \quad (5)$$

$$\text{Sub } y = 7 \text{ into } (5)$$

$$5x + 98 = 73$$

$$5x = -25$$

$$x = -5$$

$$\text{sub } x = -5 \text{ \& } y = 7 \text{ into } (1)$$

$$-10 + 28 - z = 15$$

$$18 - z = 15$$

$$z = 3$$

check in (2)

$$-15 + 56 + 7 = 44$$

✓

4. Solve the simultaneous equations

$$10x + 60y + 10z = 25 \quad - (1)$$

$$5x + 40y + 20z = 40 \quad - (2)$$

$$20x + 20y + 40z = 30 \quad - (3)$$

$$2 \times (1) - (2) \rightarrow (4)$$

$$20x + 120y + 20z = 50$$

$$\text{sub } 5x + 40y + 20z = 40$$

$$15x + 80y = 10 \rightarrow (4)$$

$$2 \times (3) - 4 \times (2) \rightarrow 5$$

~~40x + 20y + 40z = 30~~

$$20x + 20y + 40z = 30$$

$$\text{sub } 10x + 80y + 40z = 80$$

$$10x - 60y = -50 \rightarrow (5)$$

$$2 \times (4) - 3 \times (5)$$

$$30x + 160y = 20$$

$$\text{sub } 30x - 180y = -150$$

$$340y = 170$$

$$y = \frac{1}{2}$$

sub $y = \frac{1}{2}$ into (4)

$$15x + 40 = 10$$

$$15x = -30$$

$$x = -2$$

sub $x = -2$ & $y = \frac{1}{2}$ into (1)

$$-20 + 30 + 10z = 25$$

$$10 + 10z = 25$$

$$10z = 15$$

$$z = 1.5$$

check in (2)

$$-10 + 20 + 30 = 40 \checkmark$$

5. Solve the simultaneous equations

$$x + y + z = 1 \quad \text{--- (1)}$$

$$4x - 3y + 4z = 32 \quad \text{--- (2)}$$

$$x - 10y - 2z = 27 \quad \text{--- (3)}$$

$$\textcircled{1} - \textcircled{3} \rightarrow \textcircled{4}$$

$$x + y + z = 1$$

$$\text{sub } x - 10y - 2z = 27$$

$$\hline 11y + 3z = -26 \quad \rightarrow \textcircled{4}$$

$$4 \times \textcircled{1} - \textcircled{2} \rightarrow \textcircled{5}$$

$$4x + 4y + 4z = 4$$

$$\text{sub } 4x - 3y + 4z = 32$$

$$\hline 7y = -28$$

$$y = -4$$

sub $y = -4$ into $\textcircled{4}$

$$-44 + 3z = -26$$

$$3z = 18$$

$$z = 6$$

$$x = \text{---} \text{---} \text{---} \quad y = \text{---} \text{---} \text{---} \quad z = \text{---} \text{---} \text{---} \quad \text{(5)}$$

Check in $\textcircled{2}$

sub $y = -4$ & $z = 6$ into $\textcircled{1}$

$$x - 4 + 6 = 1$$

$$x + 2 = 1$$

$$x = -1$$

ANSWER
 $-4 + 12 + 24 = 32 \quad \checkmark$

6. Solve the simultaneous equations

$$6x + 8y - 2z = 750 \quad - (1)$$

$$18x - 2y + 4z = 1100 \quad - (2)$$

$$4x - 4y + 2z = 100 \quad - (3)$$

$$2 \times (1) - (3)$$

$$36x - 4y + 8z = 2200$$

$$4x - 4y + 2z = 100$$

$$32x + 6z = 2100 \quad - (4)$$

$$2 \times (3) + (1)$$

$$8x - 8y + 4z = 200$$

$$\text{add } 6x + 8y - 2z = 750$$

$$14x + 2z = 950 \quad - (5)$$

$$3 \times (5) - (4)$$

$$42x + 6z = 2850$$

$$32x + 6z = 2100$$

$$10x = 750$$

$$x = 75$$

$$x = \dots 75 \dots \quad y = \dots 25 \dots \quad z = \dots -50 \dots$$

(5)

sub $x=75$ into (5)

$$1050 + 2z = 950$$

$$2z = -100$$

$$z = -50$$

sub $x=75$ & $z=-50$ into (1)

$$450 + 8y + 100 = 750$$

$$8y = 200$$

$$y = 25$$

7. Solve the simultaneous equations

$$7x + 5y + 4z = 23 \quad - (1)$$

$$21x - 10y + 6z = -4 \quad - (2)$$

$$7x + 15y - 2z = -15 \quad - (3)$$

$$3 \times (1) \Rightarrow 21x + 15y + 12z = 69 \quad - (4)$$

$$3 \times (3) \Rightarrow 21x + 45y - 6z = -45 \quad - (5)$$

$$(4) - (2) \Rightarrow (6)$$

$$21x + 15y + 12z = 69$$

$$\text{sub } \begin{array}{r} 21x + 15y + 12z = 69 \\ 21x - 10y + 6z = -4 \\ \hline \end{array}$$

$$25y + 6z = 73 \quad - (6)$$

$$(5) - (4) \Rightarrow (7)$$

$$21x + 45y - 6z = -45$$

$$\text{sub } \begin{array}{r} 21x + 45y - 6z = -45 \\ 21x + 15y + 12z = 69 \\ \hline \end{array}$$

$$30y - 18z = -114 \quad - (7)$$

$$3 \times (6) \Rightarrow (8)$$

$$75y + 18z = 219 \quad - (8)$$

$$\text{add } \begin{array}{r} 75y + 18z = 219 \\ 30y - 18z = -114 \\ \hline \end{array}$$

$$105y = 105$$

$$y = 1$$

$$x = \dots -2 \quad y = \dots 1 \quad z = \dots 8 \quad (5)$$

$$\text{sub } y=1 \text{ into } (6)$$

$$25 + 6z = 73$$

$$6z = 48$$

$$z = 8$$

$$\text{sub } y=1 \text{ e } z=8 \text{ into } (1)$$

$$7x + 5 + 32 = 23$$

$$7x = -14$$

$$x = -2$$

check in (2)

$$-42 - 10 + 48 = -4$$



8. Solve the simultaneous equations

$$y - x + 2z = 2.1 \quad \text{--- (1)}$$

$$3x - 2z - y + 2.5 = 0 \quad \text{--- (2)}$$

$$8z + 10y + 5x = 4.5 \quad \text{--- (3)}$$

$$-x + y + 2z = 2.1$$

$$3x - y - 2z = -2.5$$

$$5x + 10y + 8z = 4.5$$

$$\textcircled{1} + \textcircled{2} \Rightarrow \textcircled{4}$$

$$2x = -0.4$$

$$x = -0.2$$

$$\textcircled{4} \times \textcircled{2} + \textcircled{3} \Rightarrow \textcircled{5}$$

$$12x - 4y - 8z = -10$$

add

$$5x + 10y + 8z = 4.5$$

$$\hline 17x + 6y = -5.5 \quad \text{--- (5)}$$

sub $x = -0.2$ into (5)

$$-3.4 + 6y = -5.5$$

$$6y = -2.1$$

$$y = -0.35$$

sub $x = -0.2$ & $y = -0.35$ into (1)

$$0.2 - 0.35 + 2z = 2.1$$

$$-0.15 + 2z = 2.1$$

$$z = 1.125$$

check in (2)

$$x = \dots -0.2 \quad y = \dots -0.35 \quad z = \dots 1.125$$

(5)

$$-0.6 + 0.35 - 2.25 = -2.5$$

$$-2.5 = -2.5$$

✓

9. Roshan sells vehicles for a company.

She receives:

£x commission for each car sold.

£y commission for each motorcycle sold.

£z commission for each van sold.

During January, Roshan sold: 12 cars, 6 motorcycles and 3 vans; she received a total of £1590 commission.

(i) Show that x, y and z satisfy the equation

$$4x + 2y + z = 530$$

$$12x + 6y + 3z = 1590 \quad \div 3$$

$$4x + 2y + z = 530 \quad \checkmark$$

(1)

During February, Roshan sold: 10 cars, 5 motorcycles and 5 vans; she received a total of £1600 commission.

(ii) Show that x, y and z satisfy the equation

$$2x + y + z = 320$$

$$10x + 5y + 5z = 1600 \quad \div 5$$

$$2x + y + z = 320 \quad \checkmark$$

(1)

During March, Roshan sold: 18 cars, 4 motorcycles and 6 vans; she received a total of £1175 commission.

(iii) Show that x, y and z satisfy the equation

$$9x + 2y + 3z = 1175$$

$$18x + 4y + 6z = 2350 \quad \div 2$$

$$9x + 2y + 3z = 1175 \quad \checkmark$$

(1)

(iv) Solve the equations

$$4x + 2y + z = 530 \quad - (1)$$

$$2x + y + z = 320 \quad - (2)$$

$$9x + 2y + 3z = 1175 \quad - (3)$$

to find the commission Roshan receives for selling each type of vehicle.

Show clearly each stage of your solution.

$$\begin{array}{r} (1) - (2) = (4) \\ 4x + 2y + z = 530 \\ \text{sub } 2x + y + z = 320 \\ \hline 2x + y = 210 \quad - (4) \end{array}$$

$$\begin{array}{r} (3) - 3 \times (2) = (5) \\ 9x + 2y + 3z = 1175 \\ \text{sub } 6x + 3y + 3z = 960 \\ \hline 3x - y = 215 \quad - (5) \end{array}$$

$$\begin{array}{r} (4) + (5) = (6) \\ 2x + y = 210 \\ \text{add } 3x - y = 215 \\ \hline 5x = 425 \quad (6) \\ x = 85 \end{array}$$

sub $x=85$ into (4)

$$170 + y = 210$$

$$y = 40$$

sub $x=85$ & $y=40$ into (1)

$$340 + 80 + z = 530$$

$$420 + z = 530$$

$$z = 110$$

check $x=85$, $y=40$ & $z=110$ in (3)

$$765 + 80 + 330 = 1175$$

Car £ 85
Motorcycle £ 40
Van £ 110

(8)

10. A football team sells three types of season ticket: adult, child and pensioner.

This year, the McManus family bought:

4 adult season tickets at £x each.

6 child season tickets at £y each.

2 pensioner tickets at £z each.

The total cost of the tickets is £5650

(i) Show that x, y and z satisfy the equation

$$2x + 3y + z = 2825$$

$$4x + 6y + 2z = 5650 \quad \div 2$$

$$2x + 3y + z = 2825 \quad \checkmark$$

(1)

The cost of an two adult season ticket is £100 more than the total cost of two child season tickets **and** two pensioner season tickets.

(ii) Show that x, y and z satisfy the equation

$$x - y - z = 50$$

$$2x - 2y - 2z = 100 \quad \div 2$$

$$x - y - z = 50$$

(1)

Last year, all season tickets cost £25 less than the current prices.

Last year, the Wilcox family bought 4 adult season tickets, 8 child season tickets and 4 pensioner tickets.

The total price was £6600

(iii) Show that x, y and z satisfy the equation

$$x + 2y + z = 1750$$

$$4(x - 25) + 8(y - 25) + 4(z - 25) = 6600$$

$$4x - 100 + 8y - 200 + 4z - 100 = 6600$$

$$4x + 8y + 4z = 7000$$

$$x + 2y + z = 1750$$

(1)

(iv) Solve the equations

$$2x + 3y + z = 2825 \quad - (1)$$

$$x - y - z = 50 \quad - (2)$$

$$x + 2y + z = 1750 \quad - (3)$$

to find the cost of the current season tickets.

Show clearly each stage of your solution.

$$\begin{array}{l} (1) + (2) = (4) \\ 2x + 3y + z = 2825 \\ \text{Add } \underline{x - y - z = 50} \\ \hline 3x + 2y = 2875 \quad - (4) \end{array}$$

$$\begin{array}{l} (2) + (3) = (5) \\ x - y - z = 50 \\ \text{Add } \underline{x + 2y + z = 1750} \\ \hline 2x + y = 1800 \quad - (5) \end{array}$$

$$\begin{array}{l} 2 \times (5) - (4) \\ 4x + 2y = 3600 \\ \text{sub } \underline{3x + 2y = 2875} \\ \hline x = 725 \end{array}$$

sub $x = 725$ into (5) sub $y = 350$ & $x = 725$ into (2)

$$1450 + y = 1800$$

$$y = 350$$

$$725 - 350 - z = 50$$

$$375 - z = 50$$

$$z = 325$$

check in (3)

$$725 + 700 + 325 = 1750 \quad \checkmark$$

Adult £ 725

Child £ 350

Pensioner £ 325

(8)

11. Oisín is training for a race and as part of his training, Oisín completes three types of run: short, medium and long.

Let x , y and z represent the length, in kilometres, of a short, medium and long run respectively.

In September, Oisín completed 24 short runs, 18 medium runs and 6 long runs. The total distance ran during September was 450km

- (i) Show that x , y and z satisfy the equation

$$4x + 3y + z = 75$$

$$24x + 18y + 6z = 450 \quad \div 6$$

$$4x + 3y + z = 75 \quad \checkmark$$

(1)

In October, Oisín completed 5 short runs, 15 medium runs and 20 long runs. The total distance ran during October was 615km.

- (ii) Show that x , y and z satisfy the equation

$$x + 3y + 4z = 123$$

$$5x + 15y + 20z = 615 \quad \div 5$$

$$x + 3y + 4z = 123 \quad \checkmark$$

(1)

In November, Oisín replaced the long run with an ultra run.

The ultra run is 40% longer than the long run. $\text{ultra} = 1.4 \times z$
or $1.4z$

That month he ran 14 short runs, 4 medium runs and 10 ultra runs, covering a total distance of 420km.

- (iii) Show that x , y and z satisfy the equation

$$7x + 2y + 7z = 210$$

$$14x + 4y + 10(1.4z) = 420$$

$$14x + 4y + 14z = 420 \quad \div 2$$

$$7x + 2y + 7z = 210 \quad \checkmark$$

(1)

(iv) Solve the equations

$$4x + 3y + z = 75 \quad \text{--- (1)}$$

$$x + 3y + 4z = 123 \quad \text{--- (2)}$$

$$7x + 2y + 7z = 210 \quad \text{--- (3)}$$

to find the length of a short, medium and long run.

Show clearly each stage of your solution.

$$\begin{array}{r} (1) - (2) = (4) \\ 4x + 3y + z = 75 \\ \text{sub } x + 3y + 4z = 123 \\ \hline 3x \quad \quad - 3z = -48 \quad \text{--- (4)} \end{array}$$

$$\begin{array}{r} 3 \times (3) - 2 \times (2) = (5) \\ 21x + 6y + 21z = 630 \\ \text{sub } 2x + 6y + 8z = 246 \\ \hline 19x \quad \quad + 13z = 384 \quad \text{--- (5)} \end{array}$$

$$\begin{array}{r} 13 \times (4) + 3 \times (5) \\ 39x - 39z = -624 \\ 57x + 39z = 1152 \\ \text{Add} \\ \hline 96x \quad \quad = 528 \\ x = 5.5 \end{array}$$

sub $x = 5.5$ into (4)

$$16.5 - 3z = -48$$

$$-3z = -64.5$$

$$z = 21.5$$

sub $x = 5.5$ & $z = 21.5$ into (1)

$$22 + 3y + 21.5 = 75$$

$$3y = 31.5$$

$$y = 10.5$$

Short 5.5 km

Medium 10.5 km

Long 21.5 km

(8)

check in (2)

$$5.5 + 31.5 + 86 = 123$$

$$123 = 123 \quad \checkmark$$

12. A concert venue sells three types of tickets: standing, seated and VIP.

For each concert

the venue sells a maximum of x standing tickets.

the venue sells a maximum of y seated tickets.

the venue sells a maximum of z VIP tickets.

The venue can sell a total of 18000 tickets for each concert.

Therefore, x , y and z satisfy the equation

$$x + y + z = 18000$$

For a recent pop concert, 75% of the standing tickets, 90% of the seated tickets and 45% of the VIP tickets **were sold**.

A total of 15600 tickets were sold for the pop concert.

- (i) Show that x , y and z satisfy the equation

$$5x + 6y + 3z = 104000$$

$$0.75x + 0.9y + 0.45z = 15600 \quad \times 100$$

$$75x + 90y + 45z = 1560000 \quad \div 15$$

$$5x + 6y + 3z = 104000 \quad \checkmark \quad (2)$$

For a recent rock concert, 4% of the standing tickets, $\frac{1}{5}$ of the seated tickets and 52% of the VIP tickets **were not sold**.

A total of 14640 tickets were sold for the rock concert.

- (ii) Show that x , y and z satisfy the equation

$$6x + 5y + 3z = 91500$$

$$0.96x + 0.8y + 0.48z = 14640 \quad \times 100$$

$$96x + 80y + 48z = 1464000 \quad \div 16$$

$$6x + 5y + 3z = 91500 \quad \checkmark \quad (2)$$

(iv) Solve the equations

$$x + y + z = 18000 \quad - (1)$$

$$5x + 6y + 3z = 104000 \quad - (2)$$

$$6x + 5y + 3z = 91500 \quad - (3)$$

to find the maximum number of standing, seated and VIP tickets available for each concert.

Show clearly each stage of your solution.

$$(1) \times 3 = (4) \quad 3x + 3y + 3z = 54000 \quad - (4)$$

$$(2) - (4) = (5)$$

$$\begin{array}{r} 5x + 6y + 3z = 104000 \\ \text{sub } 3x + 3y + 3z = 54000 \\ \hline 2x + 3y = 50000 \end{array} \quad - (5)$$

$$(3) - (4) = (6)$$

$$\begin{array}{r} 6x + 5y + 3z = 91500 \\ \text{sub } 3x + 3y + 3z = 54000 \\ \hline 3x + 2y = 37500 \end{array} \quad - (6)$$

~~(6) - 2(5)~~

$$3 \times (6) - 2 \times (5)$$

$$\begin{array}{r} 9x + 6y = 112500 \\ \text{sub } 4x + 6y = 100000 \\ \hline 5x = 12500 \\ x = 2500 \end{array}$$

$$\begin{array}{l} \text{Sub } x = 2500 \text{ into (5)} \\ 5000 + 3y = 50000 \\ 3y = 45000 \\ y = 15000 \end{array}$$

$$\begin{array}{l} \text{sub } x = 2500 \text{ \& } y = 15000 \\ \text{into (1)} \\ 2500 + 15000 + z = 18000 \\ z = 500 \end{array}$$

Standing	2500
Seated	15000
VIP	500

(8)

$$\text{check in (3)} \quad 15000 + 75000 + 1500 = 91500 \checkmark$$